INDEX

-	MODEL	SALES DESIGNATION
THE REAL PROPERTY.	107.045	380 SL

CIRCUIT	PAGE	CIRCUIT	PAGE	
Air Injection Management	109	Lights (continued)		
Anti Lock Brake System	132	-Glove Box	111	
Automatic Antenna	127	—Hazard	116	
Automatic Climate Control	141	-Headlights	112	
Auxiliary Fan	123	-Instrument Cluster	122	
Charging System	110	-License	115	
Cigar Lighter	127	—Marker	115	
Clock	1 20	—Park	114	
Cold Start	106	-Stop	112/2	
Component Locations	201	—Tail	114	
Cruise Control	112/2	—Trunk	115	
Diagnostic Socket	107, 108	—Turn Signal	116	
Fuel Delivery	107	—Vanity	121/1	
Fuse Box	103	Outside Heated Mirrors	130	
Fuse-Circuit List	102	Power Distribution	104	
Gauges	118	Power Distribution—ACC	141	
Ground Distribution	138	Power Windows	126	
Ground Distribution — ACC	141	Radio	127	
Heated Seats	128	Rear Defogger	125	
Horns	123	RH Outside Mirror	129	
Idle Speed Stabilization	109	Start	106	
Ignition	107	Supplemental Restraint System	131	
Lambda Control	108	Tachometer	118	
Lights		Transmission Kickdown	107	
-Backup	111	Warning Indicators	118	
-Center Console	122	Warning System	117	
-Courtesy	12 1	Wiper/Washer	124	
-Fog Lights	112	*		

Fuse			Connection		
No.	Amps (Color)	Circuits Protected	to Circuit	Page	
1	8 (WT) 16 (PK)	Cigar Lighter/Radio Glove Box Lamp Heated Seats RH Outside Mirror	15R	127 111 128 129	
2	16 (PK)	Headlamps Wiper/Washer	15R	112 124	
3	16 (PK)	Power Windows (RH)	15	126	
4	16 (PK)	Power Windows (LH)	15	126	
5	8 (WT)	Anti-Lock Brake System Power Windows Stop Lamps/Cruise Control Turn Signal/Hazard Lamps Warning Indicators Warning System	15	132 126 112/2 116 118 117	
6	25 (BU)	Automatic Climate Control	15X	141	
7	8 (WT)	Air Injection Management Automatic Climate Control Auxiliary Fan Backup Lamps Transmission Kickdown Warning Indicators Warning System	15	109 141 123 111 107 120 117	
. 8	8 (WT) ②	Horns Outside Heated Mirrors	15	123 130	
9		Not Used			
10	16 (PK)	Rear Defogger	15	125	

	Fuse		Connection		
No.	Amps (Color)	Circuits Protected	to Circuit	Page	
11	8 (WT)	Not Used			
12	8 (WT)	Automatic Antenna Clock Courtesy Lamps Diagnostic Socket Radio Trunk Lamp Turn Signal/Hazard Lamps Warning System	30	127 120 121 107 127 115 116	
13	8 (WT)	Illumination: Instrument Cluster/Center Console Lamps: Marker/License Lamps: Park/Tail (RH) Warning System	58R	122 115 114 117	
14	16 (PK)	Auxiliary Fan	30	123	
15	8 (WT)	Not Used			
16	8 (WT)	Lamps: Park/Tail (LH)	58L	114	
17	8 (WT)	Headlamps (RH High Beam & Indicator)	56a	112	
18	8 (WT)	Headlamps (LH High Beams)	56a	112	
19	16 (PK)	Headlamps (RH Low Beam)/ Fog Lamps	56b	112	
20 8 (WT)		Headlamps (LH Low Beam)	56b	112	

REVISIONS:


1 WITH HEATED SEATS

2 16 AMP (AS OF MODEL YEAR 1985)

WARNING INDICATORS/GAUGES/CLOCK

(For Component Locations See Page 212)


MY 1983/MY 1984/ MY 1985 380 SL




119

MY 1983/MY 1984/ MY 1985 380 SL

(For Component Locations See Page 212)






COURTESY LIGHTS

MY 1983/MY 1984

380 SL

(For Component Locations See Page 204)




COURTESY LIGHTS

MY 1985

(For Component Locations See Page 204)

380 SL




121/

121/4

(For Component Locations See Page 208)


MY 1985

0.00



REVISIONS: 1 MODEL YEARS 1984 AND 1985, PAGE 120

(For Component Locations See Page 206)




1 BR

<u>G 101</u>

2.5 BR

380 SL

10 m t 10 m



CLOSES AT 126° F (52° C)

.75 BR

REVISIONS:


1 BR

<u>G107</u>


107.045


123/2


REVISIONS:			



380SL








REVISIONS:

107.045


MY 1983





(For Component Locations See Page 204)

380 SL




REVISIONS: 1 16 AMP (WHEN EQUIPPED WITH HEATED SEATS)

107.045

MY 1985

380 SL




REVISIONS: 16 AMP (WHEN EQUIPPED WITH HEATED SEATS)

127/4

(For Component Locations See Page 206)

380 SL





REVISIONS:

4/86

107.045


....





REVISIONS: 1 MODEL YEARS 1984 AND 1985

380 SL




REVISIONS: 1 AS OF MODEL YEAR 1985

MY 1985

(For Component Locations See Page 209)


380SL



REVISIONS:

107.045

MY 1985



REVISIONS:				

801/0

STATE

1887577

0000700

CONTROL

0.00


UNIT

APPLIED INPUT

ANTILOCK BRAKE SYSTEM

(For Component Locations See Page 201)


MY 1985 380 SE





C164


G101 (RH FRONT FENDER BEHIND HEADLIGHTS)

107.045









REVISIONS: (1) AS OF MODEL YEAR 1984

(2) AS OF MODEL YEAR 1985



